

<b>L Numb r</b>	<b>Hits</b>	<b>Search T xt</b>	<b>DB</b>	<b>Tim stamp</b>
-	103729	((c ramic h ar8 h at\$3) and (resistance n ar8 heat\$3))	USPAT	2003/09/24 18:55
-	18	((c ramic hear8 h at\$3) and (r sistance n ar8 heat\$3))) and (((pr v nt\$3 r eliminat\$3 or stop\$4) near8 heat\$3) near8 ((popping near4 out) or exfoliat\$3))	USPAT	2003/08/23 19:07
-	8715	((substrat\$1 or wafer\$1) and (ceramic near8 heat\$3))	USPAT	2003/09/24 19:28
-	2858	((substrat\$1 or wafer\$1) and (ceramic near8 heat\$3))) and (resistance near8 heat\$3)	USPAT	2003/08/23 20:08
-	46	((substrat\$1 or wafer\$1) and (ceramic near8 heat\$3))) and (resistance near8 heat\$3)) and (((circular or curve or concentric\$ or circle) and (spiral\$3 or wavy or waving)) near8 heat\$3)	USPAT	2003/08/23 20:08
-	5685	(219/44.1 or 219/460.1 or 219/461.1 or 219/465.1 or 219/466.1 or 219/467.1 or 219/468.1 or 219/543 or 219/544 or 219/546-548 or 118/724-725).cccls.	USPAT	2003/09/24 19:40
-	389	((219/44.1 or 219/460.1 or 219/461.1 or 219/465.1 or 219/466.1 or 219/467.1 or 219/468.1 or 219/543 or 219/544 or 219/546-548 or 118/724-725).cccls.) and ((substrat\$1 or wafer\$1) and (ceramic near8 heat\$3))	USPAT	2003/08/23 20:08
-	265	((219/44.1 or 219/460.1 or 219/461.1 or 219/465.1 or 219/466.1 or 219/467.1 or 219/468.1 or 219/543 or 219/544 or 219/546-548 or 118/724-725).cccls.) and ((substrat\$1 or wafer\$1) and (ceramic near8 heat\$3))) and (resistance near8 heat\$3)	USPAT	2003/08/23 20:08
-	19	((219/44.1 or 219/460.1 or 219/461.1 or 219/465.1 or 219/466.1 or 219/467.1 or 219/468.1 or 219/543 or 219/544 or 219/546-548 or 118/724-725).cccls.) and ((substrat\$1 or wafer\$1) and (ceramic near8 heat\$3))) and (resistance near8 heat\$3)) and (((circular or curve or concentric\$ or circle) and (spiral\$3 or wavy or waving)) near8 heat\$3)	USPAT	2003/08/23 20:09

-	0	(((219/44.1 r 219/460.1 r 219/461.1 r 219/465.1 r 219/466.1 r 219/467.1 r 219/468.1 r 219/543 r 219/544 or 219/546-548 or 118/724-725).ccls.) and ((substrat\$1 r waf r\$1) and (c ramic n ar8 h at\$3))) and (r sistanc n ar8 heat\$3)) and (((circular or curve or concentric\$ or circle) and (spiral\$3 or wavy or waving)) near8 heat\$3)) not (((substrat\$1 or wafer\$1) and (ceramic near8 heat\$3))) and (resistance near8 heat\$3)) and (((circular or curve or concentric\$ or circle) and (spiral\$3 or wavy or waving)) near8 heat\$3))	USPAT	2003/08/23 20:42
-	1	("4002883").PN.	USPAT	2003/08/23 20:42
-	8779	((substrat\$1 or wafer\$1) and (ceramic near8 heat\$3))	USPAT	2003/09/24 12:37
-	0	(((method near8 manufacturing) near8 semiconductor\$1)) and ((remov\$3 or eliminat\$1) near8 ((u or uranium) and (th or thorium)))	USPAT	2003/09/24 12:41
-	120	((remov\$3 or eliminat\$1) near8 ((u or uranium) and (th or thorium)))	USPAT	2003/09/24 12:42
-	18	(((remov\$3 or eliminat\$1) near8 ((u or uranium) and (th or thorium)))) and ceramic	USPAT	2003/09/24 12:56
-	41	(((remov\$3 or eliminat\$1) near8 ((u or uranium) and (th or thorium)))) and ray\$1	USPAT	2003/09/24 12:53
-	12	(((remov\$3 or eliminat\$1) near8 ((u or uranium) and (th or thorium)))) and (alpha near8 ray\$1)	USPAT	2003/09/24 12:55
-	0	(((remov\$3 or eliminat\$1) near8 ((u or uranium) and (th or thorium)))) and ray\$1) and ("0.025" near8 (c/cm))	USPAT	2003/09/24 12:56
-	0	(((remov\$3 or eliminat\$1) near8 ((u or uranium) and (th or thorium)))) and ray\$1) and ("0.025")	USPAT	2003/09/24 12:56
-	6	(((remov\$3 or eliminat\$1) near8 ((u or uranium) and (th or thorium)))) and (ceramic near8 (substrate\$1 or heat\$3))	USPAT	2003/09/24 12:57
-	5	(((remov\$3 or eliminat\$1) near8 ((u or uranium) and (th or thorium)))) and (ceramic near8 (substrate\$1 or heat\$3)) and (alpha near8 ray\$1)	USPAT	2003/09/24 17:58
-	1	("4621064").PN.	USPAT	2003/09/24 17:58
-	7690	((ceramic near8 heat\$3) and (resistance near8 heat\$3))	USPAT	2003/09/24 18:56
-	3642	(((ceramic near8 heat\$3) and (resistance n ar8 h at\$3)) ) and (trim\$4 or cut\$4 r grind\$3)	USPAT	2003/09/24 19:28
-	2	(((ceramic near8 h at\$3) and (r sistanc n ar8 heat\$3)) ) and (trim\$4 r cut\$4 r grind\$3)) and (las r and grind\$3)) and (camera and m mory and mirror)	USPAT	2003/09/24 19:02

-	212	(((c ramic near8 h at\$3) and (r sistanc n ar8 h at\$3)) ) and (trim\$4 r cut\$4 r grind\$3)) and (las r and grind\$3)	USPAT	2003/09/24 19:20
-	20	(((ceramic n ar8 h at\$3) and (r sistanc n ar8 h at\$3)) ) and (trim\$4 r cut\$4 r grind\$3)) and (las r and grind\$3)) and trim\$4	USPAT	2003/09/24 19:20
-	8779	((substrat\$1 or wafer\$1) and (ceramic near8 heat\$3))	USPAT	2003/09/24 19:41
-	2	(((substrat\$1 or wafer\$1) and (ceramic near8 heat\$3)) ) and (resistanc near8 heat\$3)	USPAT	2003/09/24 19:29
-	2882	(((substrat\$1 or wafer\$1) and (ceramic near8 heat\$3)) ) and (resistance near8 heat\$3)	USPAT	2003/09/24 19:29
-	1	(((substrat\$1 or wafer\$1) and (ceramic near8 heat\$3)) ) and (resistance near8 heat\$3)) and ((trim\$3 or cut\$4 or grind\$4) near10 (resistance near8 heat\$3))) and (laser and grind\$3)	USPAT	2003/09/24 19:30
-	58	(((substrat\$1 or wafer\$1) and (ceramic near8 heat\$3)) ) and (resistance near8 heat\$3)) and ((trim\$3 or cut\$4 or grind\$4) near10 (resistance near8 heat\$3))	USPAT	2003/09/24 19:41
-	5740	(219/444.1 or 219/460.1 or 219/461.1 or 219/465.1 or 219/466.1 or 219/467.1 or 219/468.1 or 219/543 or 219/544 or 219/546-548 or 118/724-725).ccls.	USPAT	2003/09/24 19:41
-	401	((219/444.1 or 219/460.1 or 219/461.1 or 219/465.1 or 219/466.1 or 219/467.1 or 219/468.1 or 219/543 or 219/544 or 219/546-548 or 118/724-725).ccls.) and ((substrat\$1 or wafer\$1) and (ceramic near8 heat\$3))	USPAT	2003/09/24 20:06
-	18	(((219/444.1 or 219/460.1 or 219/461.1 or 219/465.1 or 219/466.1 or 219/467.1 or 219/468.1 or 219/543 or 219/544 or 219/546-548 or 118/724-725).ccls.) and ((substrat\$1 or wafer\$1) and (ceramic near8 heat\$3)) ) and ((trim\$3 or cut\$4 or grind\$4) near10 (resistance near8 heat\$3))	USPAT	2003/09/24 20:07
-	90	(((219/444.1 or 219/460.1 or 219/461.1 or 219/465.1 or 219/466.1 or 219/467.1 or 219/468.1 or 219/543 or 219/544 or 219/546-548 or 118/724-725).ccls.) and ((substrat\$1 or wafer\$1) and (ceramic near8 heat\$3)) ) and ((trim\$3 or cut\$4 or grind\$4) near10 (heat\$3))	USPAT	2003/09/24 19:43

-	72	(((219/444.1 or 219/460.1 r 219/461.1 r 219/465.1 or 219/466.1 r 219/467.1 r 219/468.1 or 219/543 r 219/544 r 219/546-548 or 118/724-725).ccls.) and ((substrat\$1 r waf r\$1) and (c ramic n ar8 heat\$3)) ) and ((trim\$3 r cut\$4 r grind\$4) near10 (heat\$3))) not (((219/444.1 or 219/460.1 or 219/461.1 or 219/465.1 or 219/466.1 or 219/467.1 or 219/468.1 or 219/543 or 219/544 or 219/546-548 or 118/724-725).ccls.) and ((substrat\$1 or wafer\$1) and (ceramic near8 heat\$3)) ) and ((trim\$3 or cut\$4 or grind\$4) near10 (resistance near8 heat\$3)))	USPAT	2003/09/25 13:15
-	17	(("1563731") or ("2703833") or ("2710900") or ("2744987") or ("2915613") or ("3283285") or ("3496336") or ("3881162") or ("3912905") or ("4429214") or ("4738871") or ("4926292") or ("4973982") or ("4999731") or ("5057964") or ("5445922") or ("5582805")).PN.	USPAT	2003/09/24 20:05
-	814	(219/\$).ccls. and ((substrat\$1 or wafer\$1) and (ceramic near8 heat\$3))	USPAT	2003/09/24 20:06
-	27	((219/\$).ccls. and ((substrat\$1 or wafer\$1) and (ceramic near8 heat\$3)) ) and ((trim\$3 or cut\$4 or grind\$4) near10 (resistance near8 heat\$3))	USPAT	2003/09/24 20:07
-	8	(("4079349") or ("4160897") or ("4311982") or ("4380003") or ("4670734") or ("4866411") or ("5231372") or ("5482887")).PN.	USPAT	2003/09/25 13:18
-	73	(("4079349") or ("4160897") or ("4311982") or ("4380003") or ("4670734") or ("4866411") or ("5231372") or ("5482887") or ("3921119") or ("1563731") or ("2703833") or ("2710900") or ("2744987") or ("2915613") or ("3283285") or ("3496336") or ("3912905") or ("1586240") or ("2261667") or ("3532556") or ("3629776") or ("3699650") or ("3776040") or ("3781749") or ("4028657") or ("4041440") or ("4050052") or ("4146957") or ("3217311") or ("3624453") or ("3694786") or ("3916144") or ("4119937") or ("1068907") or ("1318030") or ("1321682") or ("1975410") or ("2056928") or ("2680184") or ("2736852") or ("2838427") or ("3074042") or ("3289139") or ("3293587") or ("3388461") or ("3486221") or ("3530573") or ("3534472") or ("3539309") or ("3675317") or ("3683213") or ("3699649") or ("3758745") or ("3786224") or ("3845443") or ("3858147") or ("3880609") r ("4072921") r ("4132971") r ("4159459") r ("4075968") or ("4697335") r ("2360263") r ("2838639") r ("4766410") r ("3579815") or ("3852876") or ("4080621") r ("4179794") or ("4904609") or ("5124274") r ("5254212") or ("5393711")).PN.	USPAT	2003/09/25 13:18

-	5723	29/610.1 r 29/611 r 29/620 or 219/121.67 r 219/121.68 r 219/121.69	USPAT	2003/09/25 14:00
-	637	(29/610.1 r 29/611 r 29/620 r 219/121.67 r 219/121.68 r 219/121.69) and trim\$4	USPAT	2003/09/25 14:01
-	236	((29/610.1 r 29/611 r 29/620 or 219/121.67 r 219/121.68 r 219/121.69) and trim\$4) and (ceramic and (resistance or resistive))	USPAT	2003/09/25 14:01
-	56	(29/610.1 or 29/611 or 29/620 or 219/121.67 or 219/121.68 or 219/121.69) and ( camera and memory and mirror and control\$4)	USPAT	2003/09/25 14:23
-	1	((29/610.1 or 29/611 or 29/620 or 219/121.67 or 219/121.68 or 219/121.69) and ( camera and memory and mirror and control\$4)) and (trim\$3 near8 (resistive or resistance or resistor))	USPAT	2003/09/25 14:22
-	56	(29/610.1 or 29/611 or 29/620 or 219/121.67 or 219/121.68 or 219/121.69) and (camera and memory and mirror and control\$4)	USPAT	2003/09/25 14:23